

Coronavirus Disease 2019 (COVID-19)

Rules and Regulations for Pools and Spas

COVID-19 has not been shown to spread by water as long as it is properly chlorinated or brominated; it is spread by respiratory droplets that happen when people exhale, speak, cough, sneeze, spit, etc. Learn how your pool facility can maintain a healthy work environment by adopting the following preventative practices in your facility when it comes time to open.

- Managers shall check-in with staff at the beginning of each shift to ensure worker health and review proper hygienic practices.
- Post signs reminding staff and patrons to stay home while sick.
 - Send employees home if they are showing signs of a respiratory illness, fever, flu-like symptoms and/or abrupt loss of taste and smell senses.
- Frequently wash hands with warm water and soap for at least 20 seconds.
- Make alcohol based hand sanitizer (of at least 60% alcohol) or sanitizing wipes available for patrons and staff.
- Remind staff and patrons to avoid touching their eyes, nose, and mouth. Cover nose
 and mouth when coughing and sneezing with a tissue, then immediately dispose of the
 tissue and wash hands for at least 20 seconds.
- Facility managers shall assign a safety manager who is on site during all hours of operation to monitor and enforce social distancing and safety guidelines.
- Reduce the number of patrons and staff in the pool area to allow for effective social distancing by maintaining 6 feet between deck chairs and 10 feet between tables.
 - 10 feet between tables ensures for a 6 foot separation between patrons while seated at adjacent tables.
 - We encourage facilities to tape off or use other physical means to visually represent social distancing guidelines.
 - Removing pool furniture may be an effective way to help with social distancing.
- Reduce bather load (number of people allowed in the pool at one time) to allow for social distancing in the pool.
 - Lap pools should schedule lanes and times to reduce number of bathers at one time.
 - Allow only one person in each lane at a time.
- Ensure pool sanitizer chemical levels and water chemistry are maintained at all times and pumps and filters are fully functioning and in good condition.
 - Chlorine must be kept between 1.0 and 5.0 ppm to remain open. Pool <u>must</u> close if chlorine levels are below 1.0 ppm or at 10.0 ppm or higher.
 - Bromine must be kept between 3.0 and 8.0 ppm to remain open. Pool <u>must</u> close if bromine levels are below 2.25 ppm or above 22.25 ppm.
 - pH must be kept between 7.2 and 7.8.



- Restrooms shall be made available to patrons and shall be cleaned and monitored frequently to ensure the soap and towel dispensers/hand drying devices are stocked and/or functional at all times.
 - o Incorporate a log for cleaning, monitoring, and stocking restroom facilities.
 - Restroom occupancy should be limited to incorporate social distancing, and waiting lines outside of restrooms should be avoided.
- Frequently clean and sanitize high touch surfaces throughout the facility including door handles, chairs, other pool-side furniture, gate latches, and restroom fixtures.
- If towels or other cloth items are provided to patrons, they must be laundered inbetween each patron in accordance with manufacturer's instructions using the warmest appropriate setting for the items and then dried completely before the next use.
- Employees must wear cloth face coverings over their nose and mouth when at work and around others in settings where social distancing is not possible.
 - Cloth face coverings worn by staff should be kept clean in accordance with CDC guidelines.
- Post signage to encourage patrons to wear masks/face coverings in situations out of the pool where social distancing cannot be achieved.
- Animals (other than service animals) are prohibited.
- Smoking and vaping is prohibited.
- If a facility decides to not open their pools at this time, please use the following guidance.
 - o The pool must be kept covered with a secure cover.
 - Superchlorinate the water to prevent algae and bacterial growth.
 - o The pumps/filtration system must be run for no less than 5 hours per day.

If you have any questions or would like more information, please call us at 603-589-4530 or visit our website as guidance may change due to the rapidly changing nature of this event.

Additional resources include:

https://www.cdc.gov/coronavirus/2019-ncov/community/parks-rec/park-administrators.html

https://www.cdc.gov/coronavirus/2019-ncov/php/water.html

https://www.cdc.gov/coronavirus/2019-ncov/php/building-water-system.html

https://www.cdc.gov/coronavirus/2019-ncov/community/parks-rec/aquatic-venues.html